

December 2014

Secondary Mental Health Conditions of Rural Adults with Disabilities

Craig Raveslout Ph.D.

University of Montana Rural Institute - Research and Training Center on Disability in Rural Communities

Bob Liston

University of Montana Rural Institute - Research and Training Center on Disability in Rural Communities

Kevin Thorsen

University of Montana Rural Institute - Research and Training Center on Disability in Rural Communities

Charles Asp

University of Montana Rural Institute - Research and Training Center on Disability in Rural Communities

University of Montana Rural Institute

scholarworks-reports@mso.umt.edu

Let us know how access to this document benefits you.

Follow this and additional works at: https://scholarworks.umt.edu/ruralinst_health_wellness

 Part of the [Community Health and Preventive Medicine Commons](#)

Recommended Citation

Raveslout, Craig Ph.D.; Liston, Bob; Thorsen, Kevin; Asp, Charles; and Rural Institute, University of Montana, "Secondary Mental Health Conditions of Rural Adults with Disabilities" (2014). *Health and Wellness*. 33.

https://scholarworks.umt.edu/ruralinst_health_wellness/33

This Presentation is brought to you for free and open access by the Rural Institute for Inclusive Communities at ScholarWorks at University of Montana. It has been accepted for inclusion in Health and Wellness by an authorized administrator of ScholarWorks at University of Montana. For more information, please contact scholarworks@mail.lib.umt.edu.

Secondary Mental Health Conditions of Rural Adults with Disabilities

Craig Raveslout

Bob Liston

Kevin Thorsen

Charles Asp

RTC: Rural

The University of Montana



Acknowledgements

- Consumers who are participating
- Peer Advisory Board
- CILs--Three Rivers, Wamego; Summit, Missoula; PIRS, Auburn
- Advisory Council,
 - Glen White (Kansas Univ.)
 - Billy Altom (APRIL)
 - Charles Drum (OHSU)
- Cheryl Gagne, Boston Psychiatric Rehabilitation Institute
- National Institute on Disability and Rehabilitation Research



Purpose

- To examine the incidence of mental symptoms reported by a population based sample of adults with disabilities.
- To develop a brief screening instrument to identify adults with disabilities who are experiencing elevated mental health symptoms.
- To examine how this screening instrument performs over time.



Sampling Frame

- Randomly selected 2000 households in three rural zip codes within the service area of three CILs
- Sent a letter in two waves about 3 weeks apart that had people self-identify disability status based on American Community Survey questions.
- 3 survey waves collected (July, October, January)



Measures

- Demographics
- American Community Survey disability questions
- Symptom Checklist 90-R
 - General Severity Index (Avg. across all items)
- Health Related Quality of Life Module (HRQOL-14)
 - During the last 30 days, for about how many days have you felt:
 - Sad, blue or depressed (avg = 10.9 days)
 - Worried, tense or anxious (avg = 11.4 days)
 - Subjective health rating (5 point, avg = 3).



Sample

- Letter and post-card mailed to 6000 randomly selected households across three rural communities. Repeated after 3 weeks.
 - 190 people returned the post-card
 - 166 returned a survey at any wave
 - 128 (77%) returned all three surveys



Demographics

- Age = 54.4 years
- 59.4% women
- 50% completed one year of College (Avg = 13.8)
- Race
 - 82.8% Caucasian
 - 14% Native American
 - 3.6% other
- 17.4% Veterans
- 38.2% Interested in peer support




Impairments

- 68.8% Neck or back pain
- 59.2% Arthritis
- 45% Eye/vision problems
- 42% Emotional problems
- 33.8% Hypertension
- 30.6% Fractures/joint injury
- 22.9% Hearing problems
- 21% Lung breathing problems
- 16.6% Diabetes
- 14% Heart problems
- 13.4% Spinal cord injury
- 5.1% Stroke
- 3.2% TBI
- 2.5% Multiple Sclerosis
- 33.1% Other



SCL-90 General Severity Index



Multiple Regression on GSI

Wave 1 Variables	Beta	t	p
Days of depression	.415	5.95	.000
Days worried tense or anxious	.359	5.29	.000
Overall health rating	-.234	-4.91	.000




Variance Predicted for Each Wave


Model	Wave 1	Wave 2	Wave 3
1. Depression, Anxiety, General Health	74.1%	59.5%	74.1%
2. Model 1 plus gender	75.2%	61.6%	74.4%




Residual Error Variance




Anxiety (Blue = Fewer Days)



Depression (Small = Fewer Days)



Individual Change over 3 Waves



Contact Information

Craig Raveslout, PhD

RTC: Rural, University of Montana

52 Corbin Hall

Missoula, MT 59812

406-243-2992

Craig.Raveslout@umontana.edu

<http://rtc.ruralinstitute.umt.edu/>

